



INFINITY MID-2M

Key Feature

- Resolution up to 2.0 Mega Pixel
- Infrared LED 20M
- ONVIF Support ONVIF 2.4
- Metal Casing
- Support PoE
- H.265 compression
- 3.6mm fixed lens
- IP66

Specification

MODEL INFINITY MID-2M

CAMERA SPECIFICATION	
Pixels	2.0 Mega Pixel
Image sensor	F23
Main processor	3516EV200
Effective pixels	1920 X 1080P
TV System	PAL/NTSC
Elcetronic shutter system	Auto: PAL 1/1-1/10000Sec; NTSC 1/1-1/10000Sec
Sync system	External
Usable illumination	0.01Lu
S/N ratio	≥52dB
Scanning system	Progressive
Video Output	Network
NETWORK	
Ethernet	RJ-45 (10/100Base-T)
Protocol	IPv4, HTTP, TCP/IP, FTP, NTP, RTSP, UDP, SMTP, DNS, DDNS
Protocol optional	Onvif 2.43
P2P	YES, Support QR Code
POE	Support
WIFI	N/A
Video delay	0.35 (Within the lan)
Smart phone	Iphone, Ipad, Android, Android Pad
Frame per second	25 Fps
CAMERA FEATURE	
Day/Night	Color / B&W (IR-CUT)
Compression	H.264/H.265
Image config	Saturation/Brightness/Contrast/Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
Motion detection	Support
Privacy masking	3 Rectangular Zone
DWDR / WDR	DWDR
Recording mode	NVR/NAS/CMS/WEB
Language	Chinese Simplified, Chinese Traditional, English, Bulgarian, Polish, Farsi, German,Russian, French, Korean, Portuguese, Japanese, Turkish, Spanish, Hebrew, Italian
LENS	
Focus lens	3.6mm
Focus control	Manual
Lens type	Manual
NIGHT VISION	
Infrared LED	IR led Ɔ 12X24PCS / 14μ*18PCS
Infrared distance	20M~25M
IR status	Under 10 Lux By CDS
IR power ON	CDS Auto Control
GENERAL	
Housing	Metal
Bracket	NO
IR cut filter	Yes
Operation temperature	-10 - +50 RH95% Max
Storage temperature	-20 - +60 RH95% Max
Power source	DC12V±10%, 1000mA
Dimension	86 X 90mm
Weight	0.4 Kg